

World Medical Tourism &  
 Global Healthcare Congress  
 Employer Healthcare & Benefits Congress  
 October 30-31, 2018  
 Halls A1-A2, Orange County Convention Center  
 Orlando, Florida

**COLUMN DIMENSIONS**

- LARGE COLUMNS - HALLS A & B ONLY  
8'-8" x 9'-6", WITH 10" GAP FOR AIRWALL
- MEDIUM COLUMNS - HALL C ONLY  
5' DIAMETER / 16' CIRCUMFERENCE
- SMALL COLUMNS - HALLS C & E, & LOADING DOCKS  
3' DIAMETER / 9'-6" CIRCUMFERENCE

**SYMBOL KEY-2ND FLOOR**


- =WATER AND DRAIN
- =UTILITIES FLOOR BOX  
WATER AND DRAIN, COMP. AIR 90 PSI, PHONE 6 PAIR JACK  
CONDUIT TO UTILITY TUNNEL  
COMBINATION 20 AMP, 120 V & 20 AMP, 208 V 1 PHASE  
POWER OUTLET 100 AMP 120/208 V 3 PHASE 4 W
- =UTILITIES FLOOR BOX  
PHONE 6 PAIR JACK  
COMBINATION 20 AMP, 120 V & 20 AMP, 208 V 1 PHASE  
POWER OUTLET 60 AMP 120/208 V 3 PHASE 4 W
- =BUILDING SERVICE TELEPHONE
- FDC** =FIRE DEPT. CABINET & FIRE EXTINGUISHER
- =ELEVATOR
- =STAIRS
- =AIR WALL
- =FIRE STROBE (STANDARD HEIGHT: 6' - 7' - ALL HALLS)
- =FIRE STROBE (ABOVE 10' - E HALL COLUMNS ONLY)
- WFM** =WAY-FINDER MONITOR
- =LOBBY BENCHES
- =PHONE CARD DISPENSER
- =HOTEL RESERVATION KIOSK
- =ATM (LARGE)
- =ATM (SMALL)
- =USABLE REG. AREA

**COLUMN DIMENSIONS**

- LARGE COLUMNS - HALLS A & B ONLY  
8'-8" x 9'-6", WITH 10" GAP FOR AIRWALL
- MEDIUM COLUMNS - HALL C ONLY  
5' DIAMETER / 16' CIRCUMFERENCE
- SMALL COLUMNS - HALLS C & E, & LOADING DOCKS  
3' DIAMETER / 9'-6" CIRCUMFERENCE

**LOADING DOOR DIMENSIONS**

- F** HALL CORNER DOOR 25'W x 32'H (ROLL-UP DOOR)
- F** HALL LOADING DOOR 10'W x 13'-6"H (ROLL-UP DOOR)
- DOCK 1** 28'-4"W x 18'-2"H (1 SLIDING BANK OF DOORS)
- DOCK 2** 28'W x 18'-2"H (1 SLIDING BANK OF DOORS)
- DOCK 3** 27'-2"W x 18'-2"H (1 SLIDING BANK OF DOORS)
- DOCK 3A** 3W DOORS (x4) - 8'-10"H / PORTAL CLG.HGT. - 9'-2"
- DOCK 4** 37'-4"W x 17'-8"H (1 SLIDING BANK OF DOORS)
- DOCK 4A** 3W DOORS (x10) - 8'-10"H / PORTAL CLG.HGT. - 12'
- DOCK 5** 37'-4"W x 17'-8"H (1 SLIDING BANK OF DOORS)
- DOCK 6** 3W DOORS (x4) - 8'-10"H / PORTAL CLG.HGT. - 9'-2"
- DOCK 7** 28'-8"W x 18'-2"H (1 SLIDING BANK OF DOORS)
- DOCK 8** 28'-5"W x 18'-1"H (1 SLIDING BANK OF DOORS)
- DOCK 9** 25'W x 18'-2"H (1 SLIDING BANK OF DOORS)
- DOCK 10** 28'-4"W x 18'-2"H (1 SLIDING BANK OF DOORS)
- DOCK 11** 54'W x 22'-7"H (2 SLIDING BANKS OF DOORS)
- DOCK 12** 54'W x 18'-2"H (2 SLIDING BANKS OF DOORS)
- DOCK 13** 54'W x 18'-2"H (2 SLIDING BANKS OF DOORS)
- DOCK 14** 38'-7"W x 18'-2"H (1 SLIDING BANK OF DOORS)



**Breda**  
 COMMERCIAL ARCHITECTURE  
 100 LINDSEY PARK ROAD  
 #180000, PALM BEACH  
 761-741-0900 FAX 761-741-5902

Initial Date: 11-7-16  
 Revised: 9-27-17  
 Revision 24  
 AE: TC  
 Drafter: TP

Scale: 1/8" = 1'-0"

Ceiling Height - 40 to Beam